APPLICA	BLE STAN	IDARD									
RATING	OPERATING TEMPERATURE RANGE		-25 °C TO +85 °C STOR			AGE TEMPERATURE E			-10 °C TO +6	0 °C	
	VOLTAGE		AC 100 V , DC 14	10 V	APPLICA	ABLE	CABLE				
	CURRENT		5 A								
			SPEC	IFICAT	FION:	S					
٦	ТЕМ		TEST METHOD				R	EQU	IREMENTS	QT	AT
CONSTR	RUCTION										
GENERAL EXAMINATION		VISUALLY AND BY MEASURING INSTRUMENT.				ACCORDING TO DRAWING.				Х	Х
MARKING		CONFIRMED VISUALLY.								X	X
ELECTR	ELECTRIC CHARA		CTERISTICS								
CONTACT RESISTANCE		CONTACT SHALL BE MEASURED AT DC 1 A				10 mΩ MAX.				X	
INSULATION RESISTANCE		500 V DC.				1000 MΩ MIN.				Х	_
VOLTAGE PROOF		1000 V AC. FOR 1 min.				NO FLASHOVER OR BREAKDOWN.				X	
MECHA	VICAL CH	ARACTI	ERISTICS								
CONTACT RETENTION FORCES		APPLYING A PULL THE WIRE AFTER THE APPLICABLE CRIMPED CONTACT IS ASSEMBLE THE BODY.				50 N MIN.				Х	_
CONNECTOR INSERTION AND		MEASURED BY APPLICABLE CONNECTOR.				INSERTION AND WITHDRAWAL FORCES				X	_
WITHDRAWAL FORCES						LOCKING DEVICE WITH UNLOCK : 34 N MAX					_
MECHANICAL OPERATION		500 TIMES INSERTIONS AND EXTRACTIONS.				CONTACT RESISTANCE: 10 $m\Omega$ MAX.				X	_
VIBRATION		FREQUENCY: 10 \rightarrow 55 (Hz), SINGLE AMPLITUDE 0.75 mm, AT 2 h , FOR 3 DIRECTIONS.				① NO ELECTRICAL DISCONTINUITY OF 10 µs. ② NO DAMAGE, CRACK AND LOOSENESS, OF PARTS.				Х	-
SHOCK		AT 490 m/s ² DURATIONS OF PULSE 11 ms AT 3 TIMES FOR 6 DIRECTIONS.				1 NO ELECTRICAL DISCONTINUITY OF 10 µs. 2 NO DAMAGE, CRACK AND LOOSENESS, OF PARTS.				Х	-
ENI/IRO	NIMENITAL	CHAR	ACTERISTICS								
DAMP HEAT	INIVILINIAL	EXPOSED AT 40 °C. 90 TO 95 %, 96 h.				① INSULATION RESISTANCE: 10 MΩ MIN				$\overline{}$	1
(STEADY STATE)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					HIGH HUM			X	-
						② INSULATION RESISTANCE: 100 MΩ MIN (AT DRY). ③ NO DAMAGE CRACK AND LOOSENESS OF PARTS.					
DADID CHANGE OF TEMPEDATURE		TEMPERATURE $-40 \rightarrow R/T^{(1)} \rightarrow +100 \rightarrow R/T$ °C				① INSULATION RESISTANCE: 1000 MΩ MIN.					+
INALID GHANGE	OI ILMILIATORE	TIME 30 \rightarrow 10 TO 15 \rightarrow 30 \rightarrow 10 TO 15 min UNDER 5 CYCLES.								X	-
CORROSION SALT MIST						NO HEAVY CORROSIN RUIN THE FUNCTION.				———	1
DRY HEAT		EXPOSED AT +100 °C , 96 h.			NO	NO DAMAGE, CRACK AND LOOSENESS OF PARTS.				X	 -
COLD		EXPOSED AT -40 °C , 96 h.			NO	NO DAMAGE, CRACK AND LOOSENESS OF PARTS.				X	+-
SEALING (2)		EXPOSED AT A DEPTH OF 1.8 m FOR 48 h.			NO	NO WATER PENETRATION INSIDE CONNECTOR.				X	
SEALING **		EAFOSED AT A DEFITT OF 1. 0 III FOR 40 II.				NO WATER PENETRATION INSIDE CONNECTOR.					
AIRTIGHTNESS (2)		APPLY AIR PRESSURE 18 kPa FOR 30 S TO INSIDE CONNECTOR.			NO	NO AIR BUBBLES INSIDE CONNECTOR.				X	-
100,000											1
		ESCRIPTION OF REVISIONS DESIG			DESIGNE	SNED			CHECKED	D/	ATE
Δ.								ı		4	
REMARK	/T · DOOM TENDS	IGHTNESS SHALL BE TESTED UNDER MATED CONDITION WITH AN					APPRO	/ED	HY. KOBAYASHI	18. (02. 26
(2) SI					H AN		CHECKED		HY. KOBAYASHI	18. 02.	
(3) A		ATIONS ARE FOR THE STATE THAT APPLICABLE CRIMP			MP	DESIGNED		IED	TH. KAMEYA	18. 02. 2	
	NTACTS ARE AS herwise spe	SEMBLED. cified, refer to IEC 60512 (JIS C 5402).				DRAWN		/N	MK. INOUE	18. 02.	
Note QT:C	Qualification Te	st AT:As	AT:Assurance Test X:Applicable Test D			RAWING NO.			ELC-110660-31-00		
LDC.	S	SPECIFICATION SHEET PAF			PART N	NO.		,	JR16WR-10PC(31)		
HS		HIROSE ELECTRIC CO., LTD. CO				10	CL114-2130-8-31			Δ	1/1
1	1					· • ·	OL.	7		_	1