

Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

APPLICABLE STANDARD						
Rating	Operating Temperature Range	-	Storage Temperature Range	-		
	Voltage	-	Operating Humidity Range	-		
	Current	-	Applicable Wire	—		
SPECIFICATIONS						
ITEM		TEST METHOD		REQUIREMENTS	QTAT	
CONSTRUCTION						
General Examination		Visually and by measuring instrument.		According to drawing.	X	X
Marking		Confirmed visually.			X	X
COUNT		DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE	
REMARK			APPROVED	KI. NAGANUMA	18. 06. 01	
			CHECKED	KI. NAGANUMA	18. 06. 01	
			DESIGNED	TU. TANIGUCHI	18. 06. 01	
			DRAWN	TU. TANIGUCHI	18. 06. 01	
Unless otherwise specified, refer to IEC 60512.						
Note QT:Qualification Test AT:Assurance Test X:Applicable Test			DRAWING NO.	ELC-007827-00-00		
	SPECIFICATION SHEET		PART NO.	D-1600-SPB		
	HIROSE ELECTRIC CO., LTD.		CODE NO	CL216-0420-8-00		1/1