






Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



Recommended PC board hole pattern



Lot No. Marking (Back side)



Notes 1 The contact cut section is unplated.
2 UL(File No.E52653) authorization article.



2	Phosphor bronze	Contact area : Gold 0.2μm min Dip area : TIN-Plating 1μm min Under plating : Nickel 1μm min	3	Phosphor bronze	Contact area : Gold 0.2μm min Dip area : TIN-Plating 1μm min Under plating : Nickel 1μm min		
1	PBT	BLACK UL94V-0					
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS		
UNITS mm		SCALE 2 : 1	COUNT 1	DESCRIPTION OF REVISIONS DIS-F-00005935	DESIGNED AK. IWAHORI	CHECKED HT. YAMAGUCHI	DATE 20200310
HRS HIROSE ELECTRIC CO., LTD.		APPROVED : HT. YAMAGUCHI 20181210	DRAWING NO. EDC-018034-61-00				
		CHECKED : HT. YAMAGUCHI 20181210	PART NO. HIF3H-26DB-2.54DS(61)				
		DESIGNED : TS. OONO 20181207	CODE NO. CL618-0144-8-61				
		DRAWN : MK. OKI 20181207					