




Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
2	DIS-H-000773	I-D	H.U	06.02.09					



- NOTE 1: TRAY PACKAGING. (100 PCS)
2: GND BOARD AND SOCKET, EACH SHOULD BE TREATED AS A INDIVIDUAL PRODUCT, AND BE SUPPLIED INDIVIDUALLY. (GND BOARD:DF19G-14S-1F-GND(05)/CL685-0018-5-05)
3: IF IT'S NEEDED TO CONNECT SIGNAL SURFACE AND GND, IT MUST BE DONE BY THROUGH HOLE ON FPC.
4: USE SPECIALIZED TOOL TO ASSEMBLE FPC.
5: INSERTION AND WITHDRAWAL OF CONNECTOR SHALL BE MADE PERPENDICULAR TO MATING SURFACE.
6: THIS PRODUCT IS NOT INTENDED TO HAVE ANY STRAIN ON THE CONDUCTORS IN SUCH INSTANCE AS CLOSE-OPEN MOTION OF NOTEBOOK COMPUTER.
7: BEND RADIUS OF FPC SHALL BE AS SPECIFIED BY THE FPC MANUFACTURER.
BENDING POSITION TO BE AS SHOWN BELOW.



RECOMMENDED PATTERNS OF FPC(10:1)



<div><div></div><div></div></div>			2	PHOSPHOR BRONZE	CONTACT AREA: GOLD PLATED 0.1μm min								
					TERMINAL AREA: TIN PLATED 1μm min								
					UNDER PLATED: NICKEL PLATED 0.5μm min								
1	POLYAMIDE	UL94V-0, NATURAL(BEIGE)											
NO.	MATERIAL	FINISH, REMARKS		NO.	MATERIAL	FINISH, REMARKS							
CODE NO.(OLD)				DRAWN		DESIGNED		CHECKED		APPROVED		RELEASED	
				A.Miyazaki		I.Denpouya		H.Umehara		T.Oma			
				06.01.25		06.01.30		06.01.30		06.01.30			
<div><div></div><div></div></div>		DRAWING NO.				PART NO.							
SCALE		EDC3-162745-02				DF19G-14S-1F(05)							
5 : 1		<div><div><div>HRS</div></div><div>HIROSE ELECTRIC CO.,LTD.</div></div>				CODE NO.							1
UNITS						CL685-0017-2-05							/ 1
mm													