


Feb.1.2025 Copyright 2025 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



△數 COUNT	訂正事項 DESCRIPTION OF REVISIONS	擔當 B	檢圖 CHKD	年月日 DATE	△數 COUNT	訂正事項 DESCRIPTION OF REVISIONS	擔當 B	檢圖 CHKD	年月日 DATE
△7	- revised	BJH	KHJ	17. 03. 30	△8	- revised	BJH	LHJ	17. 05. 24
△8	- revised	BJH	KHJ	17. 04. 05	△9	3 revised	KHJ	LHJ	18. 01. 30
△9	- revised	BJH	LHJ	17. 05. 11					


RECOMMENDED PCB LAYOUT (TOP-VIEW)
(REFERENCE ONLY)

NO.	DESCRIPTION	MATERIAL	FINISH	REMARKS
7	COVER TAPE	PS	-	-
6	EMBOSS TAPE	PS	-	-
5	SHELL	STAINLESS STEEL	△Ni 1-5μm	-
4	GND PLATE	STAINLESS STEEL	-	-
3	CONTACT	COPPER ALLOY	△CONTACT AREA : Au0.05μm Min OVER Pd-Ni0.75μm Min OVER Ni2-5μm SOLDER TAILS : Au0.03μm Min OVER Ni1-5μm	-
2	MID PLATE	STAINLESS STEEL	△Ni 1-5μm	-
1	INSULATOR	THERMAL PLASTIC	UL94V-0, BLACK COLOR	-

CODE NO. (OLD)	DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
	H.J.KIM	KNJICHIKAWA	H.J.LEE	T.S.KANG	DEPT 18.03.08 ENG
	16.06.07	16.06.07	16.06.07	16.06.07	

DRAWING NO.	PART NO.	CODE NO.
EDC3-632149	CX90B1-24P	CL 6240-0004-7

Feb.1.2025 Copyright 2025 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
GND	TX1+	TX1-	V _{BUS}	CC1	D+	D-	SBU1	V _{BUS}	RX2-	RX2+	GND
GND	RX1+	RX1-	V _{BUS}	SBU2	D-	D+	CC2	V _{BUS}	TX2-	TX2+	GND
B12	B11	B10	B9	B8	B7	B6	B5	B4	B3	B2	B1

 SCALE 5:1 UNITS mm	DRAWING NO.	EDC3-632149	PART NO.	CX90B1-24P
	HIROSE KOREA CO.,LTD.		CODE NO.	CL 6240-0004-7