


Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

| 1 | | | | | 2 | | | | | 3 | | | | | 4 | | | | |
|-------|--------------------------|--|--|--|----|------|------|--|--|-------|--------------------------|--|--|--|----|------|------|--|--|
| COUNT | DESCRIPTION OF REVISIONS | | | | BY | CHKD | DATE | | | COUNT | DESCRIPTION OF REVISIONS | | | | BY | CHKD | DATE | | |
| △ | | | | | | | | | | △ | | | | | | | | | |
| △ | | | | | | | | | | △ | | | | | | | | | |
| △ | | | | | | | | | | △ | | | | | | | | | |



B DETAIL OF MOUNTING GUIDE

PANEL CUTOUT
t = 0.7~2

NOTE 1 THE RECOMMENDED CLAMP TORQUE OF REF. NO. ⑥ TO BE 1.5 N·m.
LOCTITE 242, HENKEL JAPAN OR EQUIVALENT IS RECOMMENDED TO
PREVENT REF. NO. ⑥ FROM LOOSENING.

| | | | | | |
|-----|-----------------|----------------------------|-----|-----------------|----------------------------------------------------------|
| 3 | POLYAMIDE | (BLUE) | 6 | BRASS | NICKEL PLATING |
| 2 | STAINLESS STEEL | | 5 | PHOSPHOR BRONZE | NICKEL PLATING |
| 1 | ZINC ALLOY | MATTE FINISH NICKEL PLATED | 4 | BRASS | GOLD PLATING 0.2μm min. NICKEL UNDER PLATING 2μm min. |
| NO. | MATERIAL | FINISH, REMARKS | NO. | MATERIAL | FINISH, REMARKS |

| | | | | | |
|----------------------|----------------------------------|-------------------------------------|----------------------------------|----------------------------------|----------|
| CODE NO. (OLD) CL | DRAWN D. Matsume '05.11.19 | DESIGNED D. Matsume '05.11.19 | CHECKED E. Kurii '05.11.22 | APPROVED M. Sato '05.11.24 | RELEASED |
| SCALE 2 : 1 | DRAWING NO. EDC4-007767-73 | | PART NO. HR10-7R-4P(73) | | |
| UNITS mm | HRS HIROSE ELECTRIC CO., LTD. | | CODE NO. CL110-0032-2-73 | | 1 1 |