

Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

1		2			3			4		
COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	
△					△					
△					△					
△					△					

NOTES1. TOLERANCES TO BE ± 0.2 UNLESS OTHERWISE SPECIFIED.
2.1 REEL CONSISTS OF 2500 CONTACTS.
3. C-UL (FAIL NO. E52653),
TÜV (FAIL NO. R9950703) APPROVED PRODUCT.

1		2		3		4	
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL
			1	COPPER ALLOY	TIN PLATED		
CODE NO. (OLD) CL?			DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
			T. Miyazaki '00.1.13	T. Miyazaki '00.1.13	K. Horiyama '00.1.13	K. Katayama '00.1.14	
DRAWING NO. EDC4-163015		PART NO. DF22-1416SCF		CODE NO. CL680-1000-3		1 1	
SACLE 5 : 1		HRS HIROSE ELECTRIC CO., LTD.					
UNITS mm							

TO

1

2

3

4

FORM NO. 228