



Mar.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




Recommended land pattern dimension of PCB









HRS DRAWING FOR REFERENCE

NO.	MATERIAL	FINISH , REMARKS	NO.	MATERIAL	FINISH , REMARKS
2	PHOSPHOR BRONZE	Contact: Gold plating 0.1μm min. Lead: Tin plating 1μm min. Under: Nickel plating 1μm min.	4	PVC	Cap
1	PPS	Light brown, UL94V-0	3	PVC	Tube

UNITS	SCALE		COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	5 : 1	△1	1	DIS-F-00006411	KS. NAKAJIMA	HT. YAMAGUCHI	20200803

HIROSE ELECTRIC CO., LTD.

APPROVED	NH. NAKATA	20161121
CHECKED	HT. YAMAGUCHI	20161121
DESIGNED	MT. ITANO	20161121
DRAWN	MT. ITANO	20161121

DRAWING NO.	EDC-150569-91-00
PART NO.	FX8-60P-SV1(91)
CODE NO.	CL578-0041-0-91


△1 1/3

Notes 1 SMT lead CO-PLANARITY : 0.1 max.
2 Tube package is applied for this product.
Please refer to the sheet 2/3 for the details.
3 For modification, etc., preventive hole for sink mark may be added according to circumstances.

△1 Added precaution

Mar.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Drawing for packing (free)



HRS DRAWING FOR REFERENCE


Notes 4 1 tube : 21 connectors.


HRS	DRAWING NO.	EDC-150569-91-00
	PART NO.	FX8-60P-SV1(91)
	CODE NO.	CL578-0041-0-91

【Precaution】


When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.


OK





NG





HRS DRAWING FOR REFERENCE

Mar.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

HRS	DRAWING NO.	EDC-150569-91-00
	PART NO.	FX8-60P-SV1(91)
	CODE NO.	CL578-0041-0-91