



Feb.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


HRS DRAWING FOR REFERENCE












Notes
1. Lead CO-PLANARITY shall be 0.1mm max.
2. Tube packaging shall be applied for this product.
   See next page for details.
3. For modification, etc., preventive hole for sink mark may be added according to circumstances.
4. The dimensions in parentheses are for reference.

Recommended land pattern dimension of PCB (mounting side) (2:1)



⚠1 Added precaution

NO.	MATERIAL	FINISH , REMARKS	NO.	MATERIAL	FINISH , REMARKS
2	PHOSPHOR BRONZE	Contact area : Gold 0.1μm min. Lead area : Gold plating flash Under plating : Nickel 0.5μm min.	4	POLYVINYL CHLORIDE	Stopper
1	POLYPHENYLENE SULFIDE	Light brown (UL94V-0)	3	POLYVINYL CHLORIDE	Tube

UNITS	SCALE		COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	5 : 1	⚠1	1	DIS-F-00006413	KS. NAKAJIMA	HT. YAMAGUCHI	20200803


HIROSE ELECTRIC CO., LTD.

APPROVED	HS. OKAWA	20051105
CHECKED	HS. OZAWA	20051105
DESIGNED	KT. DOI	20051105
DRAWN	AK. SUZUKAWA	20051019

DRAWING NO.	EDC-150823-91-21
PART NO.	FX8C-100P-SV(91)
CODE NO.	CL578-0505-0-91

⚠1 1/3

Feb.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



HRS DRAWING FOR REFERENCE


Notes 5 1 tube : 14 connectors.

HRS	DRAWING NO.	EDC-150823-91-21
	PART NO.	FX8C-100P-SV(91)
	CODE NO.	CL578-0505-0-91


【Precaution】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK



NG



HRS DRAWING FOR REFERENCE

Feb.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

DRAWING NO.	EDC-150823-91-21
PART NO.	FX8C-100P-SV(91)
CODE NO.	CL578-0505-0-91

△1 3/3