

Feb.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


HRS DRAWING FOR REFERENCE





Notes
1. Lead CO-PLANARITY shall be 0.1mm max.
2. Tube packaging shall be applied for this product. See next page for details.
3. For modification, etc., preventive hole for sink mark may be added according to circumstances.
4. The dimensions in parentheses are for reference.

Recommended land pattern dimension of PCB (mounting side) (2:1)



⚠1 Added precaution


NO.	MATERIAL	FINISH , REMARKS	NO.	MATERIAL	FINISH , REMARKS
2	PHOSPHOR BRONZE	Contact area : Gold 0.1μm min. Lead area : Tin-plating 1μm min. Under plating : Nickel 1μm min.	4	POLYVINYL CHLORIDE	(Stopper)
1	PPS	Light brown (UL94V-0)	3	POLYVINYL CHLORIDE	(Tube)

UNITS	SCALE		COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	5 : 1	⚠1	1	DIS-F-00006416	KS. NAKAJIMA	HT. YAMAGUCHI	20200803

HIROSE ELECTRIC CO., LTD.

APPROVED	HS. OKAWA	20051212	DRAWING NO. EDC-150864-91-21
CHECKED	HS. OZAWA	20051212	PART NO. FX8C-120P-SV4(91)
DESIGNED	KY. NAKAMURA	20051212	CODE NO. CL578-0586-1-91 ⚠1 1/3
DRAWN	KY. NAKAMURA	20051212	

Feb.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



HRS DRAWING FOR REFERENCE


Notes 5 1 tube : 12 connectors.

HRS	DRAWING NO.	EDC-150864-91-21
	PART NO.	FX8C-120P-SV4(91)
	CODE NO.	CL578-0586-1-91


【Precaution】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK



NG



HRS DRAWING FOR REFERENCE

Feb.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

DRAWING NO.	EDC-150864-91-21
PART NO.	FX8C-120P-SV4(91)
CODE NO.	CL578-0586-1-91

△1 3/3