






Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

REFERENCE DRAWING




| △數<br>COUNT | 訂正事項<br>DESCRIPTION OF REVISIONS | 擔當<br>B Y | 檢圖<br>CHKD | 年月日<br>DATE | △數<br>COUNT | 訂正事項<br>DESCRIPTION OF REVISIONS | 擔當<br>B Y | 檢圖<br>CHKD | 年月日<br>DATE |
|-------------|----------------------------------|-----------|------------|-------------|-------------|----------------------------------|-----------|------------|-------------|
| 1           | 12 RE-5-2286                     | K.C.J     | A.B.H      | 19. 09. 11  | 1           |                                  |           |            |             |
| 2           | 3 RE-5-2373                      | P.J.H     | A.B.H      | 20. 04. 24  | 2           |                                  |           |            |             |
| 3           |                                  |           |            |             | 3           |                                  |           |            |             |
| 4           |                                  |           |            |             | 4           |                                  |           |            |             |

|     |                          |              |                                                   |   |               |                 |                                             |
|-----|--------------------------|--------------|---------------------------------------------------|---|---------------|-----------------|---------------------------------------------|
| 3   | EJECTOR                  | LCP          | BLACK UL94-V0                                     | 7 | EJECTOR PLATE | STAINLESS STEEL |                                             |
| 2   | SH-CONTACT<br>DETECT S/W | COPPER ALLOY | CONTACT: NIP + Pd-Ni + AuP<br>MOUNTING: NIP + AuP | 6 | SPRING        | STAINLESS STEEL |                                             |
| 1   | INS.BASE                 | LCP          | BLACK UL94-V0                                     | 5 | PIN           | STAINLESS STEEL |                                             |
| NO. | PART                     | MATERIAL     | FINISH,REMARKS                                    | 4 | COVER         | STAINLESS STEEL | CONTACT : NIP + AuP<br>MOUNTING : NIP + AuP |


| UNLESS OTHERWISE<br>SPECIFIED,<br>SEE TABLE FOR<br>TOLERANCES | CODE NO. (OLD)              | DRAWN    | DESIGNED | CHECKED  | APPROVED | RELEASED                |
|---------------------------------------------------------------|-----------------------------|----------|----------|----------|----------|-------------------------|
| 寸 公 差<br>分 差<br>OVER TO TOLERANCE                             | TITLE                       | C.K.KIM  | C.K.KIM  | J.H.CHOI | H.C.SONG | ENG<br>20.04.24<br>DEPT |
| 0 6 ± 0.05                                                    | MICRO SIM CARD CONNECTOR    | 15.06.05 | 15.06.05 | 15.06.05 | 15.06.05 |                         |
| 6 15 ± 0.08                                                   | DRAWING NO. EDC3-631496     |          |          |          |          |                         |
| 15 30 ± 0.1                                                   | SCALE 5:1                   |          |          |          |          |                         |
| 30 60 ± 0.15                                                  | UNITS mm                    |          |          |          |          |                         |
| 角度 ANGULAR ± 1°                                               | PART NO. KP10S-SF-PEJ(812)  |          |          |          |          |                         |
|                                                               | CODE NO. CL 6519-0010-0-812 |          |          |          |          |                         |

Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



△ RECOMMEND P.C.B PATTERN LAYOUT (TOLERANCE : ±0.05)  
RECOMMEND METAL MASK THICKNESS=0.12mm

NOTE 1. ☆ MARK IS C.T.F (CRITICAL TO FACTOR/FUNCTION) POINT  
2. CARD DETECTION SWITCH



③ CO-PLANARITY SHALL BE 0.1mm MAX


△ ④ NO PATTERNS PERMITTED IN THE OBLIQUE - HATCHED AREA

⑤ PACKING TYPE :TAPE AND REEL . 1,500PCS PER 1REEL

△ ⑥ MANUFACTURING DATE SYSTEM

H 9 9 11 1(A)

PRODUCTION LINE : LINE No.  
DATE : 11TH  
MONTH : SEP  
YEAR : 2019  
SUPPLIER : HIROSE KOREA




| PIN No. | Name     |
|---------|----------|
| C1      | Vcc      |
| C2      | RST      |
| C3      | CLK      |
| C4      | Reserved |
| C5      | GND      |
| C6      | Vpp      |
| C7      | I/O      |
| C8      | Reserved |

MICRO SIM CARD ASSIGNMENT


|          |        |
|----------|--------|
| Detect A | GND    |
| Detect B | Signal |

DETECT SWITCH




MICRO SIM CARD PAD LAY OUT

△ ④ NO PATTERNS PERMITTED IN THE OBLIQUE  
(TOLERANCE : ±0.1)



SECTION A-A



Detail A  
(20:1)

△ ⑥ TABLE.1

| YEAR | MONTH | DATE | YEAR | MONTH | DATE | YEAR | MONTH | DATE | YEAR | MONTH | DATE |
|------|-------|------|------|-------|------|------|-------|------|------|-------|------|
| 2016 | 6     | Jan. | 1    | 1     | 01   | 11   | 11    | 21   | 21   |       |      |
| 2017 | 7     | Feb. | 2    | 2     | 02   | 12   | 12    | 22   | 22   |       |      |
| 2018 | 8     | Mar. | 3    | 3     | 03   | 13   | 13    | 23   | 23   |       |      |
| 2019 | 9     | Apr. | 4    | 4     | 04   | 14   | 14    | 24   | 24   |       |      |
| 2020 | 0     | May. | 5    | 5     | 05   | 15   | 15    | 25   | 25   |       |      |
| 2021 | 1     | Jun. | 6    | 6     | 06   | 16   | 16    | 26   | 26   |       |      |
| 2022 | 2     | Jul. | 7    | 7     | 07   | 17   | 17    | 27   | 27   |       |      |
| 2023 | 3     | Aug. | 8    | 8     | 08   | 18   | 18    | 28   | 28   |       |      |
| 2024 | 4     | Sep. | 9    | 9     | 09   | 19   | 19    | 29   | 29   |       |      |
| 2025 | 5     | Oct. | A    | 10    | 10   | 20   | 20    | 30   | 30   |       |      |
|      |       | Nov. | B    |       |      |      |       | 31   | 31   |       |      |
|      |       | Dec. | C    |       |      |      |       |      |      |       |      |

HIROSE KOREA CO.,LTD.

圖番 DRAWING NO.

EDC3-631496

2/3

Apr.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

